

FEATURES & SPECIFICATIONS | eDELIVER 9 L2 H2 FWD 77kWh

Exterior			
LED headlights	S	Steel wheel 6.5Jx16	O
LED tail lights	S	Alloy wheel 6.5Jx16	S
Front & rear fog lights	S	Power heated exterior mirrors	S
Single sliding door	S	Power side step*	S
Dual sliding door	O	Removable front tow hook	S
Rear wing doors with 180° hinges	S	Tow-bar pre-wiring with controller	S
Interior & Comfort			
Microfibre leather multifunctional steering wheel	S	LED cargo lights**	S
Anti-glare interior mirror	S	Automatic air conditioning	S
Column-mounted gear selector	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Heated front seats	S	4 speakers	S
LED front reading light	S	DAB	S
Power front windows (one click up & down)	S	Keyless start	S
Automatic wipers	S	2 smart keys	S
Safety & Security			
Tyre pressure monitoring system	S	Rear view camera	S
6 airbags (front,side,curtain) for driver & front passengers	S	360° camera	S
ECall	S	Front & Rear Parking Sensors	S
Safety belt reminder	S		
Driver Assistance			
ESP+EBA+HHC	S	Blind spot detection & door-open warning system	S
EPB	S	Lane change assist	S
Full-speed ACC	S	Speed limit information	S
Automatic emergency braking system	S	Driver monitor system	S
Lane departure warning & lane keeping assist system	S	Adjustable overspeed warning	S

*When you choose Dual sliding door , Power side step can not be chosen.

**1 light for L2 models, 2 lights for L3 models



FEATURES & SPECIFICATIONS | eDELIVER 9 L2 H2 FWD 77kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S

TECHNICAL SPECIFICATIONS | eDELIVER 9 L2 H2 FWD 77kWh

Dimensions & Capacities

Number of seats	3	Loadspace width (mm)	1800
Single (nearside) Sliding Door	S	Loadspace height (mm)	1802
Overall length (mm)	5546	Max loadspace width between wheel arches (mm)	1366
Overall width (mm)	2062	Side door width (mm)	1269
Overall height (mm)	2515	Side door height (mm)	1570
Wheel base (mm)	3366	Ground clearance of the front axle (mm)	180
Cargo volume (m³)	9.7	Ground clearance of the rear axle (mm)	223
Loadspace length (mm)	3019	Ground clearance between axles (mm)	196

Weights & Payload

GVW (kg)	3500	Max axle load: front/rear (kg)	1885/2350
CVW (kg)	2460	GTM (kg)	4250
Payload (kg)	1040	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear (kg)	1660/1840		

Battery & Charging

Battery capacity (kWh)	77	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	171~189	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	229~253	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	29.1~32.0	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	8.5h/11kw (S) 4.5h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	51min/78kw	V2L interior	O

Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-62mph (sec)	18.3
Rated power/Max power (kW)	75/150	Min turning diameter (m)	13.4±1
Rated torque/Max torque (N.m)	170/330	Approach angle/departure angle (°)	19.0/17.8
Max speed (mph)	62	Tyre	215/75R16
Acceleration 31mph (sec)	6.1		

*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

**When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.

